

What is claimed is:

- 660710-9052260
31
1. A method of voice and positional location data radio communication over a cellular phone network having cellular radio voice and control channel paths separately communicating with a network operations control center, that comprises, user voice - calling the control center, from a portable cellular telephone location over the cellular voice path, requesting location information services; upon user verification, sending a radio signal from the control center over the control channel path to be received at said location; providing a radio transponder and GPS receiver and microprocessor module at said location; activating the GPS receiver, in response to receipt of said radio signal, to receive and process location data from the GPS satellite constellation for the vehicle and to activate the transponder to transmit the processed location data over the control channel path to said control center; associating the transmitted location data with the user voice call request at the control center; and sending location service information from the control center to the user.
 2. The method of claim 1 wherein said user location is in a vehicle, and the said module is provided in the vehicle.
 3. The method of claim 1 wherein said user is a pedestrian or is located at another personal user location at which the user is provided with a personal cellular phone and said module.

4. The method of claim 1 wherein said associating of location data received over the control channel path with the voice call received over the cellular voice path is effected by PIN information at the control center.

5. The method of claim 2 wherein the vehicle is further provided with movement/tampering alarm sensing; and, in response to such sensing, and apart from the presence or absence of the user at the vehicle, activating the vehicle GPS-transponder module to receive and process GPS location data for the vehicle and to transmit the data with vehicle user identification as an alarm over the control channel path to said control center; associating the transmitted location alarm received at the control center with a phone pre-designated by the vehicle by user; and calling the alarm from the control center to that phone.

6. A method of radio communication over a cellular phone network between a vehicle location and an operations control center of a cellular phone network having a control channel path, that comprises, sensing unauthorized movement/tampering at the vehicle; providing a GPS receiver-radio transponder module at said vehicle location; in response to such sensing, and apart from the presence or absence of a user at the vehicle, activating the GPS-receiver transponder module to receive and process GPS location data for the vehicle, and transmitting said data with vehicle user identification as an alarm over the network control channel path to said control center; associating the transmitted

09235606-012099

Sub
B1

location alarm data received at the control center with a phone pre-designated by the vehicle user; and calling the alarm from the control center to that phone.

7. A system for voice and positional location data radio communication over a cellular phone network having cellular radio voice and control channel paths separately communicating with a network operations control center, the system having, in combination, a portable cellular telephone for user voice-calling to the control center over the cellular voice path, for requesting user location information services; means operable upon user identification, for sending a radio signal from the control center over the control channel path to be received at the user location; a radio-transponder GPS receiver and microprocessor module disposed at said location; means for activating the GPS receiver of the module in response to receipt of said radio signal, to receive and process location data from the GPS satellite constellation for the vehicle and to activate the transponder to transmit the processed location data over the control channel path to said control center; and means for sending location services information from the control center to the user upon associating the transmitted location data with the user voice call request.

8. The system of claim 7 wherein said user location is in a vehicle, and the said module is provided in the vehicle.

09235606-012099

9. The system of claim 7 wherein said user is a pedestrian or is located at another personal user location at which the user is provided with a personal cellular phone and said module.

10. The system of claim 7 wherein said associating of location data received over the control channel path with voice call received over the cellular voice path is effected by PIN information means at the control center.

54B
B1
11. The system of claim 8 wherein the vehicle is further provided with movement/tampering alarm sensing means; and means operable in response to such sensing, and apart from the presence or absence of the user at the vehicle, for activating the vehicle GPS-transponder module to receive and process GPS location data for the vehicle and to transmit the data with vehicle user identification as an alarm along the control channel path to said control center; and means for associating the transmitted location alarm received at the control center with a phone pre-designated by the vehicle user; and means for calling the alarm from the control center to that phone.

12. A system for radio-communication over a cellular phone network between a vehicle location and an operations control center of a cellular phone network having a control channel path, that comprises, means for sensing unauthorized movement/tampering at the vehicle; a GPS receiver-radio transponder module disposed at said vehicle location; means operable in response to such sensing, and apart from the presence or absence of a user at the vehicle, for activating the GPS – receiver transponder

module to receive and process GPS location data for the vehicle, and for transmitting said data with vehicle user identification as an alarm over the network control channel path to said control center; means for associating the transmitted location alarm data received at the control center with a phone pre-designated by the vehicle user; and means for calling the alarm from the control center to that phone.

13. The system as claimed in claim 12 wherein a phone so pre-designated at the control center is carried by or in communication with a further vehicle provided with means for tracking periodic radio reply transmissions from a further transponder provided in said further vehicle and automatically activated by command activation signals broadcast on the same carrier frequency as the reply transponder signals.

560210-9095260

SCB
BT